Missouri Botanical Garden

Peter H. Raven Library

George Engelmann Botanical Notebooks



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Cassutaceae

Barbacenia De Lessertiana

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

5203

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Cusent. 46. Element 2

5. f. C. Europaea.	Bove, Alger		turgida
g. C. Gisthyana.	Kotschy 580	— Hyperica	?
6. ff. C. arabica			
a C. Gisthyana.	Bourgeau 460.	— — —	turgida
b. C.	Kotschy. 118. 318. —	Abyssinia	planifolia var
c. C. Gisonchan.	Bourgeau 426	—	turgida?
d. C. Arabica	Aucher Eloy 1418	—	planifolia?
e C. Gisthyana.	Welwitsch 192	in Rosa	Arabica turgida
f C. arabica	Canaries,	Despréaux 1837	" "
g. C —	Schimper 140		arabica
h. C. arabica	in pat[illegible].		turgida?
i C. abyssinica	Bourgeau 18	—	" "
k C Gisthyana	Bourgeau 459		" "
l. C. brevistyla	et Rr.	1486. Schimp.	brevistyla
m. C. Kotschy	388. b.	—	? Kandica
6" C. Gisonchan			
a C. Arabica	Aucher Alexandria		Arabica
b. — — —	France, Egypt		" "
8. C. Capensis			
a. Drege, (Port Natal & Cap)	7833		Africana β.
b. " "Selaga"	ex Lira		" "
c " 2684 bis "	Gardner, Brasil		pastita

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

g. C. africana

a. C. africana Th. C. Dreyer — angulare

b. Cap. b. sp. De Candolle (Cap. bot. Lambert) " " "

c. C. b. sp. Bowie (Hb. Graham) mitidum

10. C. mitidum a. Dreyer — " "

b. Zeyher & Eckl. 21. 1. 11. " "

c. C. africana Th. a Dreyer " "

d. C. africana Zeyher & Eckl. 20. 77. 11. " "

Chois!

Cassuta Burmanni. = hab. Burm.

nunc Delastria est C. mitidum

flores rondi plani aperti

Wallich Catal. 1318 macrantha

1319. 2. fl. masculi, pedicellis tenuibus reflexa?

basi bracteati.

1320. 2. subsessilis

1320 3. Martabanica

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Cuttings Hort. Selenensis July 1857

14.a " C. monogyna" Hort Hort N. 713. Persia Veitch

b " C. monogyna" sine loco "

c — — — Tarascon, Maine, 1835 "

d — — — Hohenacker, Helenendorf "

e — — — Beaumarie, Requien "

f — — — — Montpellier, Delile "

g — — — — Belanger, 1825, Herbier de Perse "

h — — — — Liban, Labillardière (not in flower)

i — — — — Afrique australe 1837. Jeyer & Ecklon. (very tall)

○ C. monogyna var normalis stylis 2 distinctis Nouvelle Orléans

leg. Naudin, Pyrénées Orientales 1843 europea

15. C. inclusa Chois. Hartweg. 1237 Papaya

" " " ex Chamb " inclusa

" " Toluca Octob 1827. Berlandier N. 1103 "

16 C. odorata chilensis — — — — Coquimbo, Chili chilensis

— — — — — Valparaiso, Gaudichaud. Jun 1836 "

(entirely eaten up — probably also — chilensis

chilensis (ex Chamb. Cuernito a fleurs blanches

sur les boissons Coquetan " en fevrier 1840 papayanensis

Mexique. Linden

18. C. odorata Coquimbo chili chilensis

— — — — Valparaiso Gaudichaud 1832 " "

" " " " " " " " " " N° 124 " " —

19. C. corymbosa Halle Pöpel racemosa

Jasonné. Debeaux 1848 " "

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

5204

19. C. Oxyphora (cont'd)

C. chilensis, Chili Arid 1828 . . . . . racemosa

Engelmann suecoles Lyon 1846 . . Auctior " "

20. C. racemosa Zephr & Eckl 22.19.10 Cap — in Kjellan Africana

Vanthier, Tejuro, Minas Geraes Brasil provflor mjor?

N 252

Gaudichaud. 507. Rio Janeiro racemosa

22. C. pensylvanica Hartweg. 1238. foetida

23 C. Chilensis C. A. Gegen, Rocky Mountains arvensis

a N. 674 on Xanthium

b Herb. Wight proper. 2408. Penins India Chilensis

c. Texas Drummond. 347 arvensis

d Carolina, Boott var minor.

e

26. C. Sandwichiana Hueneke. sept in Polygon glabrosa

a

b. Pennsylvania, Bettle Ck, Moser grayii

c Hey bot Comte caule aphyllo erecto ? solo Chilensis

d 37 Hts Sandwich. Fl. Worz. nd. [Hawley?] Sandwichi

e Galeotti 1840. Oaxaca. 7000 feet Jalapensis

N. 4413.

27 C. australis N. Holland, Caley (specimen cited by Chris?)

28 C. glomerata Carolina, Boott. compacta

Louisiana, Harbour " "

30. C. Grayii Connecticut. Grayii

in Schw. et Amonis frequens, ubique que in temperatis tinctoria

31 C. Amentacea — Sw. Lour. Cochinch. Poiteau. 802 — amentacea firma

Spec. cites by Chodat

Behri in Sepibus — Ph. Salzman — 831 — amentacea vera

Herb. de Ventenat — " — compacta

L. Booth, 1830 — North America — " — decora

H. Wydler, St Thomas — 1827. — N 10. 6i — Gronovii

& the Core — Amentacea firma

Poiteau — in Ht Ventenat — compacta

32 C. Spectabilis — Surinam, Hostmann — May 1842 — " "

N 464

P. Claussen, Minas Geraes. — " "

Ypiranga Linden 1840

34. C. stylosa — Andrieux. Mex. — stylosa

Berlandier, 822. — " "

indistae a Drummond 248. — decora var hispidula

6 C. ciliaris — Kotschy. 431 — ciliaris

C. subtilis Chamberl mss.

Mexico, M. Mocino — gracilifolia

12. C. reflexa — Calcutta (et Wallich. Herb) — reflexa

garden, N 129

Hyderabad, J. Campbell. Esq. — macrantha

Indor. Herb. Wight pop. 2320 — " "

1.a. C. Epetiana — Fayum, Kotschy — planifolia

b. — Cameroons, Despréaux — Epetiana

c — Deux ponts, Schmidt — " "

d. — Ht Ventenat — European

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

2. a.	Cerasus major	Compiegne		Europaea
b.	(Epithymus ?)	major of Chambard		Epithymus
c.	europaea.	plant parasite 319.		Epithymus
d.	Cerasus cuneata			" "
e.	major			" "
f.	major,	Aunis meridionale,	Léveillé	" "
g.	europaea	(Taurica Ho Ventenat	Juin 1827	" "
h.	major.			Europaea
i	Epithymus	Schlangelmuhle (on Ulster		" "
k	" "		" " "	" "
l.	Europaea	sur le Dodonea longifolia	1837	Epithymus
m	Epithymus	Schultz., Bitche		" "
o.	major	(in Orsova)		" "
p	Epithymus	Compiegne (major Chambard)		" "
2" a	planiflora	Orsova, Moldavie (Russie		2
		manidonle — Léveillé 1837		
b.	alba	Sicile, Parlatore		Epithymus
3. a	Kotschyana	Bords Kotschy		Kotschyana
b.	Arabica	Kneik Egypte		Arabica
5. a.	C. minor	Morée		Cretica
b.	"	Fagetus adpica Heldreich		planiflora
c.		Koniah Heldreich		Epithymus obtusiloba
d.		Fagetus reg. alpin. Heldreich in Sydan Lyc ?		mbridalis ?
e.		Syrie, Labillardiere		globulosa ?

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Herb. E. Cosson

Paris Juin 1857

---

1. alba Guttonneau
2 papillosa papillosa
3 calycina
4 C. globulosa Boiss & Reut
5. C. planiflora planiflora
6. C planiflora
7 C papillosa
8 C. papillosa
9 angustiloba Desf
10 C. calycina
grandiflora

1. Montagnes de Djurdjura Cosson Juin 1854 (f. 248)
2 Pic de Sidi Ahmed — Juin 1854 (250)
3 Djebel Jaghuan Tunis 410. a. Kralik
the same label = HG Mus Paris = C. papillosa
4 Gabes, Tunis, Kralik (262)
5. Alcalá nov Madrid Bourgeau 1854 v. Nizilla
6 Djelfa, prov. d'Alger. de Reboud.
7 Djebel Jaghuan. Kralik Type
8 Tunis Kralik Cuspit
9 on Asphodelus Bourg, Tenerife 24 Jun 1855
10 has the habit of C. calycina & planiflora, perhaps a large flowered variety — not Europ.
— exact the style
11. Epipactis 247 Bourg. Tenerife, Buenavist 19 Jun 1855
12 C. planiflora on Daphne Taygetus, Heldreich.
13. Gram. Brevisflora. Marais de Toulon 21 Sept 1857 Guillon
scales entire undivided blunt Corolla as flower 4 x 5 partite, small, like auranthiaca
14 Gr. brevisflora Regis ref. as Auranthiaca Algeria
15 C. planiflora var connivens Hadrumetum, Tunis Kralik (260)
16 papillosa Gabes — — — Type May
17. planiflora calyce ad basin fisso (262) Artemisia "
18 C. planiflora sicca herbula Aucher
19 C. Boissieri Boiss & Reut. Balansa 707 v. Hyeres
20 C. calycina! webbiana Bourgeau 18. (seen & named by Webb himself)
21 C. chrysiana webbiana, Corsica 1258
22 C. elegans! Cesaria? Balansa 208
23. C. Epipactis Bourg 1430 C. calycina
24 Epipactis! Bourg 459 original! = C. calycina f. 227

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

25. Cuscuta Epithymum Webb — named by himself
Bourgeau 426. — 1846 on Sonchus
same Bourgeau. 1855 from Teneriffe
C. hassiaca many places in Saxony & Germany
C. Kotschyana
C. racemosa
26 C. lupuliformis two varieties, white, large, or
Spatula leaves is the true plant = planiflora
the other, and seems subinermis both the same planiflora
27 C. macrantha — Heldr.
28 C. Atlantica Libanon Gaillardot, on Asteriscus 272
29 C. planiflora ! 412 Balansa, Bourgeau fig 143
30 C. p———— Teneriffe Cuscuta nave, Com.
31 C. obtusiflora sp. Sierra Nevada, Funk
something quite new !!
34 C. planiflora convolvulus Aleppo Balansa 414 fig 152
35 C. racemosa Attica Heldreich
36 C. alba-turgida Palermo, Huet de Pav. Palermo.
37 C. europaea (hyalina) Doria Balansa 855
38 C. Schkuhriana Bohemia, Lorinser — Europe!
has scales!
39. C. Europ! Teneriffe Webb — cuticle rubia
40 C. major planiflora 1299. Sierra Nevada Bourgeau
41 C. minor planiflora 331 Bourgeau Aranda
42 C. calycina Teneriffe 16 April 1855 Bourgeau
43 C. Schimperi = planiflora 118. 318. Kotschy — Schimper
44 C. suberosa, near Epithymum Algeria, Bourgeau 1851
45 C. calycina rubella Oran, (rubella) Cosson fig 248
46 C. calycina alba, minor Oran (pygmaea) Cosson fig 248
47 calycina 1298 Algeria Bourg fig 156
48 calycina alba minor Kralik Pt. Cavos, Bonifacio 1849
49 Cuscuta planiflora Piacenza John Ball
49.6. C. minor L. Kralik Corsica 26 July 1849 in C. Epithymum — very common
50 C. monogyna Dominica, Ungern
near lupuliformis

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

C. astyla ! — Perros, Greve, Heldreich

C. cupuliformis Elba, Hamburg, Sonder

51. C. monogyna astyla Blanche Beyrut. C. Jan Clarkol

52 C. Lebanonia Meyer i Balansa

53 C. microcarpa Bourgeau Turkey. 1848

54 C. Crithagus or Oxyacantha Lobel (264)
var obtusiloba
subintegrifolia Mt Caucasus Comier 11 July 1849

55. C. monogyna var nova de Candon Juillet 1846.
Auzende

56 C. Crithagus or Oxyacantha mixed with some C. microcarpa Tyrol Espagne 655. Bourgeau 1847

57 C. microcarpa probably, but too young to be positive or Willkomm Blanco, Provincia de Jaen, Espana
No 139. 1849

58 C. microcarpa ? willkom (455.) 246) Castilla (245)

59 microcarpa pallida ocharlah 2, Constantine

60 microcarpa var vel Crithagus var! O. Debeaux. Agen. fj 278.

Crataegus dentiflora Sargent Will Soc. Lic
parci I. p. 26. (1822
IV. 280 (1825)

C. Crithagus Wenzel — Apothek. pg 51
vol. 8.

52
05

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Herbier de M. Jacques Jay

Paris Juin 1852

Cistus Europeus Bex, Jermatten and other localities in the Alps.

Cistus, Oise rup. coni

Parma ad. nov. C. tetrasperma Jan
Sierra nevada, Bourgeau Pegia Alpina 1854
C. rosea, Jaeq. nos No 1550
C. Epithymus var Ulex Europ. Manche, also
isles on Jersey as Ulex

Parma —
Lac de Genève
au Parc du Mégnil du côté de Chaptaine ville
Nov. 1852

C. Europaea. Pyrenees Espagnole ou
Asturias Malaga et Ulex hispida

C. monspeliensis
Arch. Dep. du Cher, Cyprus. France
on Helychrysum Stoechas & Dorycnium

C Europ. Salzmann Mountains of
Corsica, Salzmann

C. Epithymus. Salzmann. Corse
or a Legumen plant.

C. albus Bonifacio Sutherland
of Corsica, Serafino 1143
under the name of European
C. Epith? Corsica Kralik on some thing
Genista —

Sardinia, Ph. Thomas alba microphylla

C. planiflora Castellamare, near Naples

Corsica July 1846 as C. Epithymum

Asturias, Spain on Erica Arborea

Durieu

C. alba? rosea! Aragon, Spain de Andrzejo.

HC. Webb.

C. planiflora Willkom 2? 455. a Schimper?

C. planiflora! Trujala Jaen, Espagne

N: 139, Blanco, 1849.

C. suberosulis ... Jaen, Sud de l'Espagne Blanco 140

a Schimper Cordif. too young, but probably suberosulis

C. alba microphylla (C. microphylla Welwitsch

= Herb. Mus. Acad. Olisip.

= Helychryso = Etrusdense martinsy

welwitsch leg.

C. Welwitsch 192 = Romarino Serra de

Arrabida (Lisabon) = probably planiflora

(C. alba microphylla Salzmann. Malaga

(C. Epithymum 1298 Bourgeau 1851. Sierra de Gador

sum = Cant.

(C. minor. 331 Bourgeau, Aoud

C. campestris. Crimea Leveillé

= Epithymum

C. minor. ad Thesium humile, Scrophularia

Leveillé

?

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Cuscuta minor pr. Koniah, native of Asia
minor — de Heldreich Juin 1845
in Athens

C. elegans 708 Balansa = a Schweinf
another specimen = the same sheet as
a Cuscuta sp. = C. globulosa

C. Balansae 707. Balansa is by Boissier
reduced to a form of alba — but
seems to be his globulosa? (nro 413)

C. alba antiloba Presl & Godr. = C. Godroni Desmol
Montpellier — seems to be the old alba
C. planiflora " Tenore Tenoriana, Reichenbach
" and others is always the same doubtful
thing too near C. Epithymum

C. Rotzebyi Boissier
near, also Gebelia

C. Epithymum var Dumortieri 426 R. Cam
1846
C. Epilinum var. — — 459 — — — "
— — — — — — 430 — 1855
C. calycina var. — — — 18 — 1845
— — — — — 430. a. — 1855
C. — — — var. major 1299 A. C. Esp. 1851

C. corrolata Kunze Balans. 1854 M 414
(= planiflora) Jaubert, Ar. min. July 1854
C. hyalina Boiss Jaubert et Lebret
Balansa Pyrenees

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

C. Cucullaria Bosc = C. quinquefolia another species mixed with it
= C. Equitans
C. canadensis = Dentaria Canadensis
= C. pinnata or Dentaria laciniata

C. Equitans Eggpl. Kralik
C. macrophylla Balansa 1854 N 411 = C. Shuttleworthii
C. Auriculata = C. pinnata = Hook. Bot. Mag.
C. chrysantha Wedd. 1851. Sagorskia
Coimbra 30 May 1851 . . . .
= Corydalis? (Vis. 1847)
Cusonia Vanthieri, Ad. 252 Brazil
not very distinct; is it pentaphyllous or
perhaps a large form of pinnata
with large calyx? ? small flowers?



MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

5205

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Curatæ Herbarii Sprengeliani

Specimina omnia

nunc in Herb. Leonhardi

conservata

Prag Dec 1857

Cucurb lagenariæ = monoeppe

1, Montpellier

2, Ural

C. Epilinus Weyhe

C. Epithyrsus Volga

C. Europæa

1, Europa

2,

C. Anisodus,

1, = Asien rubro

2,

C. grandiflorus — Wall

C. floribundus Kunth Andes

C. odoratus A & P. Poepp 261

C. graveolens Humb. Montevideo

C. obtusiflorus Kunth Poepp 159.

monoeppe

lagenaria

!

pleniflorus ?

Europæa

Epithyrsus.

compactus

Asiaticus

macranthus

Chilensis

5207

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Carnutes sub Parisi

Lyon 1857

5208

MISSOURI BOTANICA
GEORGE ENGELMAN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Notes in the Paris Herbarium

June 1857

Plants collected in South America by

H. A. Weddell

№ 2125 (75) H. parviflora Brasilia centralis, Provincia de Goyaz, between Goyaz & Palmas, vulg. name: Cipo de chumbo, Flowers whitish — grows on the plains "campos" near the Buixas riv. — Dec 1844. Summer mats of rather coarse fibre.

BOTANICAL GARDEN
ENGELMANN PAPERS

2124 (76) same label Gr. conviculata

2208. (77) same locality — "sur les arbusseaux au bord du Buïxas — H. whitish

(78) ——— var. parviflora Minas Geraës — 1844

4693 (79) odorata fleurs blanchatres, dans les hayes à Quiara in the province of Carabaya, Jun & July 1847 Peru (on an Arbisea)

3611 (80) partita var major fleurs blanchâtres ou rosées — Gutierrez — Cordillera, Bolivia Nov & Dec 1845

3483 (81) Gr. partita var major fleurs d'un blanc rosé ou jaunâtres Campos humides, Prov. Chiquitos Bolivia Sept & Oct. 1845. — H. Cor. Cassia

4518 (82) Gr. grandiflora fleurs blanchâtres, dans les haies, Bolivia in the province of Larecaja, above the Sorata April 1847 — 2300 - 2800 metres high

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

83 4768. Flum blanchâtre calyce rougeâtre
fosses humides vallées d Urabamba
près de Cuzco, Pérou Aug 1847.
Gr. grandiflora

84. C. minor propre Koniah Asie mineure,
Gr. Fuge — var parviflora
de Heldreich June 1845

85 Chine, Leclanche 1844 (tig. 287)
Var C. pendula Ait

86 Rekai Fischer

87 Honkong, l'Abbé Farel 1855 both have the habit of C.

Gr. grandiflora Pere Cl. Gay

Gr. Chilensis Juan Fernandez Delpancho.
Lance 1836

88. 118.318 C. Rhizophora. Khasya.

Gramnia compacta Texas 957
Mississippi Sept 1849
or Lamm Carol? (glabra)
Gr. arvensis Texas 641 , Nuttall
Gr decora Texas 1353 July 1848
Texas Nov. 1849

89 C. Lehmanniana Ningpo! Bonkhaia

Gr. resp. Ortg

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

List of the Species of Cuscuta
in the Herb. generale du Muséum de
Paris

C. Epithymum
  subinermis
planiflora
  alba v. Lecanthes s.
cretica
rosea
europaea
Arabica
Babylonica
brevistyla
Abyssinica
Kotschyana
Epilinum

~~Epitora~~
angulata
  hyalina
  (capensis)
nitida

Species of

Dendroneura in the Paris Herb.

D. Texanum

Carrytoides

Cupuliformis

Vahlianum

Timorense

—

Reflexum

Macranthum

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

5209

List of the species of Gramineæ in the Herb. Général du Musée de Paris

---

Gr. Topagancensis Mexico
inclusa ! Mexico !
stylosa ! Mexico !
Jalapensis ! Mexico !
odorata Peru, Chili
chilensis Chili
micrantha ! Chili
racemosa Brasil, Chili.

Europa
Americana Bad. occidel
& var.. robustior
Grandiflora Bogota
Sonorensis ! Sonora
decora ! Texas
arenaria ! arenaria ! Texas
arenaria ! pubescens ! Mexico
Chlorotica ! Illinois
Gronovii ! Am. septent
var Bonariensis
var Saurei Illinois
inflexa ! Illinois
leniflora ! Illinois
umbellata Mexico
Leptantha ! " "
crispidata ! Texas
squamata ! Mexico
paradoxa Illinois
Sandwichiana ! Ins. Sandwich
Chinensis ! Orient.
chinensis Ceylon

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Cuscuta herbarii

Suecica

Cuscuta Europaea — vitia	Linn. 1886	— cattier	vera
C. Epithymum.			vera
sine nomine — Orient	Hort. Linn.	1784	chinensis
C. Americana.	Poiret, St Domingo		vera
C. Americana	Cap. Thunberg.	1789	chinensis
C. arvensa Covell Icon A. H.			M. Vahliana
= C. epithymum maxima — Hist Ox. 3. 615.			
(Tompsits ann Host — ?)			
C. corymbosa	Peron, Jos. de Jussieu		?
C. compacta	J. Ann. sept.		
(on a thick stem of wood — on two plat.			vera
C. canariensis	Lamarck		Lugdu
Cuscuta —	Linn	ex hb Thunb Paris	M. trifolii

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

5210

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Cistaceae Herb. Lindsborg

Jan. 1858

Cistus Epilinum Germany, Vienna etc !

sp. 1. C. alba var ii Asiatic Greece, Heldreich
Attica
apparently between the small turgida and palestina, or the latter — Corollae lobis
demum incurvis palestina

C. Creticus, Milano !

sp. 2. 2, Hor. atlanticus exsicc. Oran 1851
G. & Durando
seems to be planiflorus acutilobus

3. Graeci Friedrichsthal palaestinus

4 Taurus, Kotschy 1836 I. 150 planiflorus ?
on Lyth.
apparently a forma of planiflorus
approaching very near to Creticus.

4. 5 in Taurro monte Kotschy 1836. - I. 151 planiflorus
(printed number: 357) in Galatia

5. 6 Aegypto, Ancher Aloy 1418 planiflorus var?
(palaestinus?)

7 " " " " " " arabicus

6 — 8. Kotschy. 580. a in Hyrcania, Teheran planiflorus
Flor. Pers. boreal

7 9. same number also on Hyrcanus
but plant seems a little
different

C. campanus, also sub nomine
Sickenbergianus

* C. Kassadar, Friedrichsthal (Herb. Macedoniae planiflorus
No 629

C. ciliatus Boissier, Kotschy 531 !!

C. Kotschyanus Boiss. 749

! 9. Carex Babylonica Steud. = C. pedunculata Kotschy

mss. pl. Kurdist. nro 388. a

Kurdistan Kotschy 1841

C. Epitky? vaginalis Oppositifolia planiflora obtusiloba — C. minor. willkomm II. 455 = Silesia

2 C. Monacha, Heldreich, in Caramania

Kurdista 9.6 = fil 3. C. minor Kotschy 388 b. Kurdistan in Monte Garo

Epitky? 10 C. planiflora Ten " Tsbarta Ridibus

" Aug. 1845 de Heldreich

C. tenuis Ic 303. Willkomm C. planiflora

C. Epitky C. Trifolii Babingt ! Hse amict

C. Schreberiana Boiss! Kotschy

C. Amboua Schreber 140

C. planiflora 11. 2, Mesopotamia, in Silesia et 1841

Kotschy Nr 104 Wk Wtlibelph.

C. nitida C. Asprana № 636 Hb Jaeger

! C. monogyna Kotschy 713. Tens austr. Asiam = Euphorbia

! 2, Boros, Heldreich Nov. 1852 = Asturia

! 3 Thalerius, Attica, = rubra (optime Blutt Nick)

lupuliformis ! 4. Alba = Silesia Leobschütz

! 5 Vitis Montpelliana —

! C. Chilensis Chili

12 C. [illegible] Lechler Valdivia

№ 479. v. Hb Lechler.

obtusiflora ! C. australis Port Jackson Ferd. Bauer

= Polygama alii gen plantis

MISSOURI BOTANI
GEORGE ENGELM

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

5211

C. globosum Chr. Asonis Engl. Adirk
also sub nom. Lep. adpressa Ohio
Drege
C. compactum Asonis Engl !
Carolina Gray
C. tenuiflorum Asonis Engl !
Ca Gronov.
& var Sanvitalia
C. Americanum ? Sicilia !
2 ? Cuba Poepp. obtusiflorum
3 ? Mt Portaschlag Brasil v. Carib. racemosum ?
4 ? Guayana. New Wied Gronov.
5. Mt Jorullo
6 ? Euclea

3 C. bulbosum Hookeriana ! China obtusiflorum

C. Louisianum Drummond Megaloglossum compactum
(v. Lamm !)
C. Jamaica, Cunning 95. in Sida decorum
C. Corylifolium Asonis
1 C. in Tauri alpibus „Bulgar Dagh" C. globulosum
Kotschy 1853 Nr. prov. 355. 9
in Hyperico, Thymo, Salvia &c

BOTANICAL GARDEN
ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Cusculae Herb. Vindobonensis

ex Bg 1847

I. Europaeae et Asiaticae occid.

pag 1. Cuscuta Europaea Leopoldsberg Herb. Jacquin
or Galicum Aparine etc

2. C. europaea Wien Herb Endlicher

a Epithymum or Umbellat

b " " or Arbuscula

c Alsinastrum? or Galicum Epithym — Cobi ad umbellat. accedit
Cupulicipata alpina

d. " or ?

e. " or Urtica Europaea subromica

3. C. europaea Epithymum Austria Hb. Jacq. or Leguminosa

4. C. europaea rosocarpa Rhode Hb. Tratt. or Thymi

5 C. europaea Austria Fridau Hb. Fenzl

a. rosocarpa vix Epithymum Lehmat.

b. or Humuli

6. C. europaea Petersdorf in Leinfelden Hb. Ottenschlag

a or Humuli ?

b ?

7. C. Epilinum Austria Fridau Hb Fenzl

8 C. Epilinum Wien Hb Endl } Linum usit

9 C. Epilinum Silesia Göppert. Hb Endl

10 C hassiaca Cassel Pfeiffer 15/9 43 or Convolvuli arvensis

11 C. alba Prs = Epithym Tirol. maritima Trail maj: 1822

12 C. Epithymum alba Lusitania, in Serra da Arrabida in Rosmarino
Welwitsch

13 C. Epithymum alba and Malaga Hb. Boissier

14 C. Epithymum ! Dornbach Hb. Jacq.

15 C. Epithymum Austria Hb Jacq or Galicum too young
can not be determ

16 C. Epithymum cretica Mirabello Sieber

17 C. Epithymum " Creta Sieber Hb. Endl

18 C. Epithymum var trifolii Hb Gorgias Hb Portenschlag

a or Trifol. —

b. cretica = 17 × 18 ?

19 C. Epithymum alba and Sicilia Dr Helfer 1857 closer than typical
Epithymum

20 C. stigmate capitat Nauplia Heldreich see fig. 193

21 C. lupuliformis Breslau Göppert Welw Nauplia

pag 22 C. monogyna Vahl Rumelia Frivaldsk

23 C. orientalis Sibth. mss. Asia minor Sibth. Hb. Jacq

24 C. arabica ! Schimper, Arabia № 140.

25 C. europaea in th. Altai, Kurtz & Kirikoff 1841
approximata. as Medingo

26 C. europaea " Altai, Ledebour

a. europaea (spuria)

b. Oxyacantha.

27. C. monogyna Tiflis, Fischer Hb. Jacq.

28 C. monogyna Georgia Hohenacker.

29. C. II Asiatica orient.

29. C. approximata Belaspur ad Pir Panjohl, Hügel № 819
or Crataegus salvifolia

30 C. macracantha fl. minor stigm. bicornibus.
Sur orient. — Banks Hb Jacq

31 C. ~~flexuosa~~ macracantha Coromandel Wall. Hb Lind

III. Asiaticae

32 C. aspiranata nitida C.B.S. Scholl — Hb. Trautvetter

33. C. aspiranata nitida " or Stavia rudista Hb. Ostenfeld

34 C. aspiranata Brachyacantha in collibus Bavelsbergen Jan. 1839
Krauss

35 C. aspiranata nitida = a Drege 20

36 C. aspiranata c pseudoxyacantha Drege

37 C. aspiranata nitida a Drege

38 C. capensis pro Choisy Drege 7833

39. C. impositita — sinuosa adnexis rad. b. winterhoky Krauss b. April 1839

40. C. punctoria crassifolia Nees Cap. Drege 3.7.

41 C. nitida E. M. ! Cap Drege 1. 11.

42 C. nitida ! Drege

43 C. capensis sp. n. Drege 20. 10.

44 C. oxyacantha ? (crassifolia ! Banks Hb Jacq.
in foliis Cuneatis capensis

45 C. capensis Scholl Hb. Cortesi Cap

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

V Borali-Americanae

46 C. Gronovii laxiflora Am. bor. Linden

47 C. Gronovii ! Ph. Philadelphia HG Jacq

~~48 C. ——— Mexico HG Jacq~~

48 C vernicosa Engl Drummond Texas 247 on Astalostea

49 C hispidula Engl Drummond 248 on Hesperis
Steinophyllum

VI. Mexicanae

50 C. adenophora Stylosa Mexico HG Jacq.

55 51. C. inclusa Chois Toluca (?) Berlandier 1103

52 C. stylosa Chois Mexico Berlandier 822

53 C. stylosa Chois Toluca, April, G. Andrieux N. 214

54 C. Mexico, Karwinski HG Endl

~~55 C~~ VII Sud occident & Surinam &

55 C. americana ! Martinique Sieber 91.

56 C. americana Cuba 1822 HG Endl

a racemosa

b glandulosa

57 C. americana ! St Thomas Friedrichsthal

58 C. americana ! St Thomas Friedrichsthal 244.6

59 C racemosa partita Chois Curaçao " 375.6

60 C corymbosa americana Vincent HG Endl

61 C. Popayanensis Kth calyce majore Columbia Hartweg 1237

62 C partita Kth. Columbia Hartweg 1238

63 C americana L ! Surinam Hostmann 464

VIII Bras. Cisenses

64 C. micrantha hb. Mart. non Chois Villa Rica Pohl 5726

65 C. ~~partita~~ americana ? Fazenda de Mathias Ramos Pohl 5100
a racemosa minuta

66 C racemosa ! Porto d'Estrella Sept Mikan
b racemosa minuta ? = 65. a

67 C racemosa Buenos Ayres Tweedie Hook 837
= H.H. 42.6

68 C. racemosa mart. Martius herb HBr 941

69 C. miniacea Pohl Chois Vauthier, 1833 N. 252 Spr Minas Geraes !
incomplete, no flow

70 C. partita Chois Brasil Riauby Gardner 2684 bis

IX Chilenses

71. C. chilensis Ker ! Conception & Mertens

72 C. racemosa ~~popayanensis~~ Hb majore HBK. Chile Poeppig

73 C chilensis ! Chile Poeppig

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

compare C. odorata Ruiz!

propagines, var. cal. minor

53 74. C. patens B. of Magdalena Cuming 1843 = Hk Hook 41

75 C. chilensis Ker Chili Cumming 274

76 X Australasiae

76 C. australis A Br. N. Holland Fed. Baner

70 a ?
b

77. C. Cunyth ?

27. F. J & Co . Hook 837

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN